



A CSW Industrials Company

# SAFETY DATA SHEET

Issuing Date 30-Apr-2012

Revision Date 05-Jun-2017

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION

### Product identifier

Product Name Z-50

### Other means of identification

Product Code(s) 204

### Recommended use of the chemical and restrictions on use

Recommended Use Sealant Lubricants, Greases and Release Products

Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube LLC

Address Jet Lube LLC  
930 Whitmore Drive  
Rockwall, Texas USA 75087  
TEL: +1-713-670-5700 (8am-5pm CST)

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

### Emergency telephone number

Company Emergency Phone Number 1-800-699-6318

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)  
1-800-424-9300 (NORTH AMERICA)

## 2. HAZARDS IDENTIFICATION

### Classification

Not classified.



**Appearance** Gray**Physical state** Paste / Gel**Odor** Petroleum**GHS Label elements, including precautionary statements**

Not classified.

**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

**Skin**

IF ON SKIN: Gently wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other information**

May be harmful if swallowed Very toxic to aquatic life with long lasting effects Very toxic to aquatic life

**Unknown acute toxicity**

99.1 % of the mixture consists of ingredient(s) of unknown toxicity

58.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99.1 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Substance**

Not applicable.

**Mixture**

Chemical name	CAS-No	Percent	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Zinc (powder)	7440-66-6	45-55	-	-
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic	74869-21-9	35-45	-	-

salts of alkali metals, alkaline earth metals, etc.				
Mica	12001-26-2	5-10	-	-
Talc	14807-96-6	1-5	-	-
Calcium oxide	1305-78-8	0-1	-	-

#### 4. FIRST AID MEASURES

##### First aid measures

<b>General advice</b>	IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.

##### Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

##### Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Hazardous Combustion Products</b>	Carbon oxides.
<b>Explosion Data</b>	
<b>Sensitivity to Mechanical Impact</b>	None.
<b>Sensitivity to Static Discharge</b>	None.
<b>Special protective equipment for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

##### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Ensure adequate ventilation.
<b>Other Information</b>	Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions**

**Environmental precautions** See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Zinc (powder) 7440-66-6	STEL: 10 mg/m <sup>3</sup> respirable fraction TWA: 2 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	IDLH: 500 mg/m <sup>3</sup> Ceiling: 15 mg/m <sup>3</sup> dust TWA: 5 mg/m <sup>3</sup> dust and fume STEL: 10 mg/m <sup>3</sup> fume	
Mica 12001-26-2	TWA: 3 mg/m <sup>3</sup>	TWA: 20 mppcf (<1% crystalline silica) 3 mg/m <sup>3</sup> (vacated)	IDLH: 1500 mg/m <sup>3</sup> containing <1% quartz TWA: 3 mg/m <sup>3</sup> respirable dust	
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup>	(vacated) TWA: 2 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> containing no asbestos and <1% quartz TWA: 2 mg/m <sup>3</sup>	
Calcium oxide 1305-78-8	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 25 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup>	
Chemical name	Alberta	British Columbia	Ontario TWAEV	Quebec
Mica 12001-26-2	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>
Calcium oxide 1305-78-8	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** No special protective equipment required.

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties**

**Physical state** Paste / Gel  
**Appearance** Gray  
**Odor** Petroleum  
**Color** No information available  
**Odor Threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
pH	7		
Melting / freezing point	138 °C	None known	
Boiling point / boiling range	274 °C		
Flash Point	> 221 °C		
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor pressure	No data available	None known	
Vapor density	No data available	None known	
Relative density	1.78		
Water Solubility	Negligible		
Solubility(ies)	No data available	None known	
Partition coefficient: n-octanol/water	Not Available		
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Explosive properties	No information available		
Oxidizing properties	No information available		

**Other Information**

**Softening Point** No information available  
**Molecular Weight** No information available  
**VOC Content (%)** None  
**Liquid Density** No information available  
**Bulk Density** No information available  
**Particle Size** No information available  
**Particle Size Distribution** No information available

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of Hazardous Reactions</b>	None under normal processing.
<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	None known based on information supplied.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous Decomposition Products</b>	Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

### Information on toxicological effects

**Symptoms** No information available.

### Numerical measures of toxicity

#### Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

**ATEmix (oral)** 2,330.00 mg/kg

**Unknown acute toxicity** 99.1 % of the mixture consists of ingredient(s) of unknown toxicity

58.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

99.1 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

99.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

99.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

99.1 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc (powder)	= 630 mg/kg ( Rat )	-	-
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain	= 2280 mg/kg ( Rat )	-	-

organic salts of alkali metals, alkaline earth metals, etc.			
Calcium oxide	= 500 mg/kg ( Rat )	-	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	No information available.
<b>Serious eye damage/eye irritation</b>	No information available.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	Classification based on data available for ingredients. Contains a known or suspected carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Talc 14807-96-6	-	Group 3	-	X

#### Legend

##### **IARC (International Agency for Research on Cancer)**

Group 3 - Not Classifiable as to Carcinogenicity in Humans

##### **OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Zinc (powder)	EC50 72 h: 0.09 - 0.125 mg/L static (Pseudokirchneriella subcapitata) EC50 96 h: 0.11 - 0.271 mg/L static (Pseudokirchneriella subcapitata)	LC50 96 h: 0.211-0.269 mg/L semi-static (Pimephales promelas) LC50 96 h: 2.16-3.05 mg/L flow-through (Pimephales promelas) LC50 96 h: = 0.24 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: = 0.41 mg/L static (Oncorhynchus mykiss) LC50 96 h: = 0.45 mg/L semi-static (Cyprinus carpio) LC50 96 h: = 0.59 mg/L	-	EC50 48 h: 0.139 - 0.908 mg/L Static (Daphnia magna)

		semi-static (Oncorhynchus mykiss) LC50 96 h: = 2.66 mg/L static (Pimephales promelas) LC50 96 h: = 3.5 mg/L static (Lepomis macrochirus) LC50 96 h: = 30 mg/L (Cyprinus carpio) LC50 96 h: = 7.8 mg/L static (Cyprinus carpio)		
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	-
Talc	-	96h LC50: > 100 g/L (Brachydanio rerio)	-	-
Calcium oxide	-	LC50 96 h: = 1070 mg/L static (Cyprinus carpio)	-	-

**Persistence and Degradability** No information available.

**Bioaccumulation** There is no data for this product.

**Mobility** No information available.

**Other adverse effects** No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Zinc (powder) 7440-66-6	Ignitable powder
Calcium oxide 1305-78-8	Corrosive

### 14. TRANSPORT INFORMATION

**Notes:** As per UN3082 Limited Quantity Exemption criteria, non-bulk packages of this product are not subject to dangerous goods regulations when packaged in sizes ≤5 Liters unless transported by inland waterway.





**DOT**

<b>UN-No.</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Reportable Quantity (RQ) (RQ/% in mixture)</b>	Zinc: RQ kg= 881.55
<b>Description</b>	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ZINC), 9, III
<b>Emergency Response Guide Number</b>	171

**TDG**

<b>UN-No.</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc (powder)), 9, III

**MEX**

<b>UN-No.</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc (powder)), 9, III

**ICAO**

<b>UN-No.</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

**IATA**

<b>UN-No.</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>ERG Code</b>	9L
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc (powder)), 9, III

**IMDG/IMO**

<b>UN-No.</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>EmS-No.</b>	F-A, S-F
<b>Marine Pollutant</b>	Product is a marine pollutant according to the criteria set by IMDG/IMO
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc (powder)), 9, III

**RID**

<b>UN-No.</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Classification code</b>	M6
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc (powder)), 9, III
<b>ADR/RID-Labels</b>	9

**ADR**

<b>UN-No.</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Classification code</b>	M6
<b>Tunnel restriction code</b>	(E)
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc (powder)), 9, III, (E)
<b>ADR/RID-Labels</b>	9

**ADN**

<b>UN-No.</b>	UN3082
<b>Proper Shipping Name</b>	Environmentally hazardous substance, liquid, n.o.s.
<b>Hazard Class</b>	9
<b>Packing Group</b>	III
<b>Classification code</b>	M6
<b>Special Provisions</b>	274, 335, 601
<b>Description</b>	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Zinc (powder)), 9, III
<b>Hazard Labels</b>	9
<b>Limited Quantity</b>	5 L

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

**Ozone-depleting substances (ODS)** Not applicable

**Persistent Organic Pollutants** Not applicable

**Export Notification requirements** Not applicable

#### International Inventories

<b>TSCA</b>	Contact supplier for inventory compliance status.
<b>DSL/NDSL</b>	Complies.
<b>EINECS/ELINCS</b>	Complies.
<b>ENCS</b>	Complies.
<b>KECL</b>	Complies.
<b>PICCS</b>	Complies.
<b>AICS</b>	Complies.

#### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

#### US Federal Regulations

##### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS-No	Percent	SARA 313 - Threshold Values %
Zinc (powder) - 7440-66-6	7440-66-6	45-55	1.0



Acute Health Hazard	No
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc (powder) 7440-66-6		X	X	

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Zinc (powder) 7440-66-6	1000 lb		RQ 454 kg final RQ RQ 1000 lb final RQ

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Zinc (powder) 7440-66-6	X	X	X	X	
Mica 12001-26-2	X	X	X	X	
Talc 14807-96-6	X	X	X	X	X
Calcium oxide 1305-78-8	X	X	X	X	

**16. OTHER INFORMATION**

<b>NFPA</b>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Properties -
<b>HMIS</b>	Health hazards 1	Flammability 1	Physical hazards 0	Personal Protection X

Prepared By Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

Issuing Date 30-Apr-2012



**Revision Date** 05-Jun-2017

**Revision Note** The symbol (\*) in the margin of this SDS indicates that this line has been revised 2 3 8 11  
12 14 16

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**